



Fischer Panda®

Power wherever
you are™

Fischer Panda 10kW 48V 600rpm drive

Technical specifications:





Voltage: 48V
Input power: 11 kW
Shaft power: 10 kW
RPM: 600
NM: 160
Weight: 58kg

Art-No: 0005677

Our shaft motors are made of heavy duties and have a double-walled aluminum housing which is water-cooled with integrated thrust bearings.

They are without gear, brushless, sensorless and have no oil filling.


This makes our engines: durable, efficient and low maintenance!



Fischer Panda GmbH
Otto - Hahn - Str.40
33104 Paderborn
Germany

contact person:
Martin Mews
Gerhard Hesse
Marcel Schwarzenberg-U.

+49 5254 9202-350
+49 5254 9202-238
+49 5254 9202-352

 mmews@fischerpanda.de
ghesse@fischerpanda.de
mschwarzenberg@fischerpanda.de



Fischer Panda®

Power
wherever
you are™

Fischer Panda 10kW 48V 1200rpm drive

Technical specifications:






Voltage: 48V
Input power: 11 kW
Shaft power: 10 kW
RPM: 1200
Nm: 79
Weight: 44kg

Art-No: 0000403

Our shaft motors are made of heavy duties and have a double-walled aluminum housing which is water-cooled with integrated thrust bearings.

They are without gear, brushless, sensorless and have no oil filling.

This makes our engines: durable, efficient and low maintenance!



Fischer Panda GmbH
Otto - Hahn - Str.40
33104 Paderborn
Germany

contact person:
Martin Mews
Gerhard Hesse
Marcel Schwarzenberg-U.



+49 5254 9202-350
+49 5254 9202-238
+49 5254 9202-352



mmews@fischerpanda.de
ghesse@fischerpanda.de
mschwarzenberg@fischerpanda.de



Fischer Panda®

Power
wherever
you are™

Fischer Panda 20kW 48V 600rpm drive

Technical specifications:





Voltage: 48V
Input power: 22 kW
Shaft power: 20 kW
RPM: 600
Nm: 320
Weight: 96kg

Art-No: 0015607

Our shaft motors are made of heavy duties and have a double-walled aluminum housing which is water-cooled with integrated thrust bearings.

They are without gear, brushless, sensorless and have no oil filling.


This makes our engines: durable, efficient and low maintenance!



Fischer Panda GmbH
Otto - Hahn - Str.40
33104 Paderborn
Germany

contact person:
Martin Mews
Gerhard Hesse
Marcel Schwarzenberg-U.

+49 5254 9202-350
+49 5254 9202-238
+49 5254 9202-352

 mmews@fischerpanda.de
ghesse@fischerpanda.de
mschwarzenberg@fischerpanda.de



Fischer Panda®

Power
wherever
you are™

Fischer Panda 20kW 48V 1200rpm drive

Technical specifications:





Voltage: 48V
Input power: 22 kW
Shaft power: 20 kW
RPM: 1200
Nm: 160
Weight: 58kg

Art-No: 0015608

Our shaft motors are made of heavy duties and have a double-walled aluminum housing which is water-cooled with integrated thrust bearings.

They are without gear, brushless, sensorless and have no oil filling.


This makes our engines: durable, efficient and low maintenance!



Fischer Panda GmbH
Otto - Hahn - Str.40
33104 Paderborn
Germany

contact person:
Martin Mews
Gerhard Hesse
Marcel Schwarzenberg-U.

+49 5254 9202-350
+49 5254 9202-238
+49 5254 9202-352

 mmews@fischerpanda.de
ghesse@fischerpanda.de
mschwarzenberg@fischerpanda.de



Fischer Panda®

Power
wherever
you are™

Fischer Panda 30kW 360V 1200rpm drive

Technical specifications:




Voltage: 360V
Input power: 32 kW
Shaft power: 30 kW
RPM: 1200
Nm: 238
Weight: 78kg

Art-No: 0023089

Our shaft motors are made of heavy duties and have a double-walled aluminum housing which is water-cooled with integrated thrust bearings.

They are without gear, brushless, sensorless and have no oil filling.


This makes our engines: durable, efficient and low maintenance!



Fischer Panda GmbH
Otto - Hahn - Str.40
33104 Paderborn
Germany

contact person:
Martin Mews
Gerhard Hesse
Marcel Schwarzenberg-U.

+49 5254 9202-350
+49 5254 9202-238
+49 5254 9202-352

 mmews@fischerpanda.de
ghesse@fischerpanda.de
mschwarzenberg@fischerpanda.de



Fischer Panda®

Power
wherever
you are™

Fischer Panda 50kW 420V 1200rpm drive

Technical specifications:






Voltage: 420V
Input power: 53 kW
Shaft power: 50 kW
RPM: 1200
Nm: 397
Weight: 107kg

Art-No: 0013415

Our shaft motors are made of heavy duties and have a double-walled aluminum housing which is water-cooled with integrated thrust bearings.

They are without gear, brushless, sensorless and have no oil filling.


This makes our engines: durable, efficient and low maintenance!



Fischer Panda GmbH
Otto - Hahn - Str.40
33104 Paderborn
Germany

contact person:
Martin Mews
Gerhard Hesse
Marcel Schwarzenberg-U.

+49 5254 9202-350
+49 5254 9202-238
+49 5254 9202-352

 mmews@fischerpanda.de
ghesse@fischerpanda.de
mschwarzenberg@fischerpanda.de



Fischer Panda®

Power
wherever
you are™

Fischer Panda 80kW 420V 1900rpm drive

Technical specifications:






Voltage: 420V
Input power: 85 kW
Shaft power: 80 kW
RPM: 1900
Nm: 397
Weight: 107kg

Art-No: 0013415

Our shaft motors are made of heavy duties and have a double-walled aluminum housing which is water-cooled with integrated thrust bearings.

They are without gear, brushless, sensorless and have no oil filling.


This makes our engines: durable, efficient and low maintenance!



Fischer Panda GmbH
Otto - Hahn - Str.40
33104 Paderborn
Germany

contact person:
Martin Mews
Gerhard Hesse
Marcel Schwarzenberg-U.

+49 5254 9202-350
+49 5254 9202-238
+49 5254 9202-352

 mmews@fischerpanda.de
ghesse@fischerpanda.de
mschwarzenberg@fischerpanda.de



Fischer Panda®

Power
wherever
you are™

Fischer Panda 100kW 420V 1200rpm drive

Technical specifications:






Voltage: 420V
Input power: 106 kW
Shaft power: 100 kW
RPM: 1200
Nm: 800
Weight: 155kg

Art-No: 0015779

Our shaft motors are made of heavy duties and have a double-walled aluminum housing which is water-cooled.

They are without gear, brushless, sensorless and have no oil filling.


This makes our engines: durable, efficient and low maintenance!



Fischer Panda GmbH
Otto - Hahn - Str.40
33104 Paderborn
Germany

contact person:
Martin Mews
Gerhard Hesse
Marcel Schwarzenberg-U.

+49 5254 9202-350
+49 5254 9202-238
+49 5254 9202-352

 mmews@fischerpanda.de
ghesse@fischerpanda.de
mschwarzenberg@fischerpanda.de